



Dart Hawkesbury  
1270 Aberdeen St  
Hawkesbury, ON K6A 1K7 Canada  
Tel (613) 632-5200  
Fax 613 632-5246

Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Total	Supplier Name	
PO041135	TVM001-VU	1	1	Net 30	M6061T6T0.625W.125	6061-T6 Round Tube 0.625 X.125W : MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/8 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 40 82 OR AMS 4083 OR ASTM B210 OR ASTM B241 receive ft				36	10/3/2018	36		S115856	Stock	10/3/2018	\$ 5.15 / ft	1		\$185.40	TW Metals	
		2			M6061T6T0.375W.058	6061-T6 Round Tube .375 X.058W : MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/8 OR QQ-A-200/8 OR QQ-A-225/8 OR AMS 4080 OR AMS 40 82 OR AMS 4083 OR ASTM B210 OR ASTM B241 receive ft				84		84		S115857	Stock	10/3/2018	\$ 2.64 / ft	1		\$221.79	TW Metals	
Total:										120		120									\$407.19	



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# PURCHASE ORDER PO041135

**Supplier:** TWM001-VU  
TW Metals  
PO Box 933014  
Atlanta, GA 31193-3014 USA  
Phone: 585 768 5600  
Fax: 585 768 5601

**Ship To:** 1270 Aberdeen Street  
Hawkesbury  
ON  
K6A 1K7 Canada  
Phone: 613-632-5200

**PO No:** PO041135

**PO Date:** 9/25/18

**Due Date:** 10/3/18

**Purchase Order  
Revision:**

**Revision Date:**

**Ship-To Contact:** Lavoie, Chantal  
clavoie@dartaero.com

**Via:** Ground

**Pymt Terms:** Net 30

**Freight Terms:**

**Special Comments:**

**E-MAILED**  
SEP 26 2018

## Items

Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1 AT		M6061T6T0.625W.125		6061-T6 Round Tube 0.625 X.125W : MATERIAL: 6061- T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/8 OR QQ-A-200/8 OR QQ- A-225/8 OR AMS 4080 OR AMS 40 82 OR AMS 4083 OR ASTM B210 OR ASTM B241 receive ft	Firmed	-	10/3/18	36 pcs ✓	0 pcs 36ft	36 pcs	\$5.15/pcs AT 18/10/04	\$185.40
2 A		M6061T6T0.375W.058		6061-T6 Round Tube .375 X.058W : MATERIAL: 6061- T6/T62/T6510/T6511 SEAMLESS TUBING AS PER WW-T-700/8 OR QQ-A-200/8 OR QQ- A-225/8 OR AMS 4080 OR AMS 40 82 OR AMS 4083 OR ASTM B210 OR ASTM B241 receive ft	Firmed	-	10/3/18	84 pcs ✓	0 pcs 84ft	84 pcs	\$2.6404/pcs AT 18/10/04	\$221.79
<b>Grand Total:</b>												<b>\$407.19</b>

*[Handwritten signature]*  
CL



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

## PURCHASE ORDER PO041135

### Order Notes

#### Procurement Quality Clauses

A005 right of entry  
A012 chemical and physical test report  
A016 personnel qualification  
A017 raw material identification (as applicable)  
A026 certification of material conformance  
A041 quality management system  
A042 dart notification by supplier  
A043 retention of quality documents  
  
A048 counterfeit parts avoidance, detection, mitigation and disposition program  
  
A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Plex 9/25/18 12:38 PM dart.lavoie.chantal



O'Neal High-Performance Metals Group



**Packing Slip**

ORDER NO.: 60665715

FROM: CRAN

PAGE 1

CUST NUMBER: 1203820 NET WGT: 14.007 REQ.DATE: 10/03/18 CONFIRMED  
 SOLD TO: SHIP TO:  
 DART AEROSPACE LTD DART AEROSPACE LTD  
 1270 ABERDEEN ST 1270 ABERDEEN ST  
 HAWKESBURY ON HAWKESBURY ON  
 CANADA CN K6A 1K7 ONTARIO CANADA CN K6A 1K7

SALESPERSON: DONNA SMALLEY SHIP BY: 09/27/18  
 TERMS: NET 30 DAYS VIA: COMMON CARRIER  
 F.O.B.: SHIPPING POINT FREIGHT: PREPAID  
 CUST ORD NO.: PO041135 RELEASE NO.:  
 RECEIVING PHONE:

LINE ITEM DESCRIPTION WIDTH LENGTH  
 0001 42588 D6061-T6 5/8 OD X .125 WA 12 FT ML

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
	36.000 FT	36.000 FT	36.000 FT	8.312	3

\*\* 1 TEST REPORTS REQUIRED \*\*  
 \*\* 1 CERTS REQUIRED \*\*

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00  
 PO:49375542 HT:F002495120001 PC: 3 CUSTOMER QTY: UOM  
 MLT:UNITED STATES MFG:UNITED STATES SLB/CL:224098

0002 41952 D6061-T6 3/8 OD X .058 WA 12 FT ML

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
	84.000 FT	84.000 FT	84.000 FT	5.695	7

\*\* 1 TEST REPORTS REQUIRED \*\*  
 \*\* 1 CERTS REQUIRED \*\*

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00  
 PO:49389319 HT:F002702540001 PC: 7 CUSTOMER QTY: UOM  
 MLT: MFG:UNITED STATES SLB/CL:226113

BROKERS KUEHNE AND NAGEL LTD

AREA	TYPE OF PKG	PKGS	GRS	WEIGHT	WIDTH	LENGTH	HGHT
NEW PEN	DOUBLE CARTON	1.000		44.000	4.0000	150.0000	4
Orders In Package - 1		Box	No -	TWPK18037824		CUBIC FT	1.3889
		1.000		44.000			

BY: Tom Weaver  
 RT 000-

UNLOAD TYPE: NONE SPECIFIED

DATE SHIPPED

DATE FILLED

**THANK YOU FOR THIS ORDER**

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE  
 PRODUCTS ARE SET FORTH ON OUR WEBSITE FOR YOUR CAREFUL  
 REVIEW.  
<http://www.twmetals.com/invoice-terms.html>



O'Neal High-Performance Metals Group



**Packing  
Slip**

ORDER NO.: 60665715 FROM: CRAN PAGE 2

CUST NUMBER: 1203820	NET WGT: 14.007	REQ.DATE: 10/03/18	CONFIRMED
SOLD TO:	SHIP TO:		
DART AEROSPACE LTD	DART AEROSPACE LTD		
1270 ABERDEEN ST	1270 ABERDEEN ST		
HAWKESBURY ON	HAWKESBURY ON		
CANADA	CN K6A 1K7	ONTARIO CANADA	CN K6A 1K7

SALESPERSON:	DONNA SMALLEY	SHIP BY:	09/27/18
TERMS:	NET 30 DAYS	27 ENGLEHARD DRIVE	
F.O.B.:	SHIPPING POINT	MONROE TWP	NJ 08831
CUST ORD NO.:	PO041135		
VIA:	COMMON CARRIER		
FREIGHT:	PREPAID		
RELEASE NO.:			
RECEIVING PHONE:			

"TW Metals MSDS data is available on our web site at [www.twmetals.com](http://www.twmetals.com). MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

# "CERTIFICATE OF CONFORMANCE"

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for coniferous non-manufactured wood packing material"

Electronically Generated Certificate-Valid without signature Date: 9/26/18

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administrations regulations. Diversion contrary to U.S. law prohibited.

**THANK YOU FOR THIS ORDER**

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE PRODUCTS ARE SET FORTH ON OUR WEBSITE FOR YOUR CAREFUL REVIEW.  
<http://www.twmetals.com/invoice-terms.html>

# KAISER ALUMINUM FABRICATED PRODUCTS

## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: M49375542-1		CUSTOMER PART NUMBER: 42588		PRODUCT DESCRIPTION: Drawn Seamless Tube/Pipe	
KAISER ORDER NUMBER: 224098	LINE ITEM: 001	SHIP DATE: 09/11/2017	KAISER LOT NUMBER: F00249512	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 241.000 LB	QUANTITY: 87.000 PCS	B/L NUMBER: 226742	DIAM/DAF/THKNS:	WIDTH:	LENGTH: 12.000 FT
SHIP TO: TW METALS INC 27 ENGLEHARD DRIVE EXIT 8A OFF NJ TPK MONROE TWP, NJ 08831 USA			SOLD TO: TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA		

### Actual Physical Properties


REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00249512	0001	1	47.7	41.2	19.0	N/A	N/A	N/A

### Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D30480	.58	.31	.23	.04	.94	.09	.05	.02	.00	.00	.00	.02	.03

### Applicable Requirements:

Description: OD: 0.6250"; Wall: 0.1250"; Round @  
AMS4082P AMS-WW-T-700/6C ASTM B210-12 WW-T-700/6F  
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS4082P, WAS NOT OILED.  
This Product Complies to FAR BAA, DFARS BAA, FAR TAA  
COMPLIES TO DIN EN 10204 JAN 2005  
No Weld Repair. Mercury Free.



### Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA  
MATERIAL COMPLIES WITH FAR BAA (FAR 52.225-1, BUY AMERICAN ACT- SUPPLIES), DFARS BAA (DFARS 252.225-7001 BUY AMERICAN ACT & BAL OF PAYMENTS PROG), AND FAR TAA (FAR 52.225-5 TRADE AGREEMENTS).

Plant Serial: 00026072  
Kaiser Order Number: 224098  
Line Item: 001

**KAISER**  
**ALUMINUM**  
**FABRICATED PRODUCTS**

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

*Best in Class*

**CERTIFIED TEST REPORT**

<http://Online.KaiserAluminum.com>

**CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Hans Kattentidt, Quality Manager


*[Signature]*

PURCHASE MATERIAL  $\triangle C$  6061-T6/62/76510/76511 SEAMLESS TUBING

SPECIFICATION: WW-T-700/8  
OR QQ-A-200/8 OR QQ-A-225/8  
OR AMS 4080 OR AMS 4082 OR AMS 4083  
OR ASTM B210 OR ASTM B241  $\triangle C$

PART NUMBER: M6061T6T6D.DDD/WT.TTT  
OD | WALL

WHERE "D.DDD" = OD IN INCHES  
"T.TTT" = WALL THICKNESS  
EG. 3/8" OD X 0.058 WALL = M6061T6T6D.375W0.058  
MATERIAL TOLERANCE: PER ANSI H35.2  $\triangle C$



RELEASED  
2013-07-02

C	COMPLETE REFORMAT, ADDED T6510 & T6511. ADDED AMS 4083, ASTM B210 & ASTM B241.	AJS	13.06.12
B	ADDED MATERIAL TOLERANCE	CP	04.01.23
A	ADD QQ-A-200/8 & QQ-A-225/8	DS	01.06.21
REV.	NEW ISSUE	BY	DATE
DESIGN	AJS		
DRAWN	AJS		
CHECKED	W		
MFG. APPR.	W		
APPROVED			
DE APPR.			
DATE	13.06.12		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. M6061T6T TITLE 6061-T6 TUBING SHEET 1 OF 1 SCALE NTS COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS THE PROPERTY OF DART AEROSPACE LTD. IT IS TO BE USED ONLY FOR THE PROJECT AND FOR WHICH IT IS ISSUED. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM DART AEROSPACE LTD.			



# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061 T6 70.625W.125  
 DATE: 18/10/04

PO / BATCH NO.: P004K35/S115856

MATERIAL CERT REC'D: Yes  
 QUANTITY RECEIVED: 36 ft  
 QUANTITY INSPECTED: 36 ft  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 0.625"  
 THICKNESS RECEIVED: 0.625"  
 SHEET SIZE ORDERED: -  
 SHEET SIZE RECEIVED: -

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	
CORROSION	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	AMS 4082
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	
PHOTO REQUIRED	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	17. F00249512-0001
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D	WEBSTER
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

*testers located in the Quality Office*

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>AT</u> DATE: <u>18/10/04</u>	SIGNED OFF BY: _____ DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# KAISER ALUMINUM

FABRICATED PRODUCTS

*Best in Class*

## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: M49389319-1		CUSTOMER PART NUMBER: 41952		PRODUCT DESCRIPTION: Drawn Seamless Tube/Pipe	
KAISER ORDER NUMBER: 226113	LINE ITEM: 001	SHIP DATE: 05/29/2018	KAISER LOT NUMBER: F00270254	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 389.000 LB	QUANTITY: 479.000 PCS	B/L NUMBER: 229783	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO:  TW METALS INC 235 WEST TUBEWAY DRIVE CAROL STREAM, IL 60188 USA			SOLD TO:  TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA		

### Actual Physical Properties


REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00270254	0001	0001	46.4	37.6	18.5	N/A	N/A	N/A

### Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D21279	.58	.18	.22	.06	.97	.06	.02	.02	.00	.00	.00	.01	.02

### Applicable Requirements:

Description: OD: 0.3750"; Wall: 0.0580"; Round @  
AMS4082P AMS-WW-T-700/6C ASTM B210-12  
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS4082P, WAS NOT OILED.  
This Product Complies to FAR BAA, DFARS BAA, FAR TAA  
COMPLIES TO DIN EN 10204 JAN 2005  
No Weld Repair. Mercury Free.



### Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA.  
MATERIAL COMPLIES WITH FAR BAA (FAR 52.225-1, BUY AMERICAN ACT- SUPPLIES), DFARS BAA  
(DFARS 252.225-7001 BUY AMERICAN ACT & BAL OF PAYMENTS PROG), AND FAR TAA (FAR 52.225-5  
TRADE AGREEMENTS).

Plant Serial: 00028471  
Kaiser Order Number: 226113  
Line Item: 001

# **KAISER**

## **ALUMINUM**

**FABRICATED PRODUCTS**

*Best in Class*

### **CERTIFIED TEST REPORT**

<http://Online.KaiserAluminum.com>


KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

#### **CERTIFICATION**


Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Hans Kattentidt, Quality Manager

*[Signature]*



*[Handwritten mark]*



PURCHASE MATERIAL: 6061-T6/70510/70511 SEAMLESS TUBING

SPECIFICATION:

WW-T-700/8  
OR QQ-A-200/8 OR QQ-A-225/8  
OR AMS 4083 OR AMS 4082 OR AMS 4083  
OR ASTM B210 OR ASTM B241

PART NUMBER:

M6061T6TD.DDDIWT.TTT  
OD WALL

WHERE "D.DDD" = OD IN INCHES  
"T.TTT" = WALL THICKNESS

EG. 3/8" OD X 0.058 WALL = M6061T6TD.375W0.058

MATERIAL TOLERANCE:

PER ANSI H35.2

RELEASED  
2013-07-02

C	COMPLETE REFORMAT, ADDED T6510 & T6511. ADDED AMS 4083, ASTM B210 & ASTM B241 ADDED MATERIAL TOLERANCE	AJS	13.06.12
B	ADD QQ-A-200/8 & QQ-A-225/8	CP	04.01.23
A	NEW ISSUE	DS	01.08.21
REV.	DESCRIPTION	BY	DATE
DESIGN	AJS		
DRAWN	AJS		
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	13.06.12		

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
REV. C	SHEET 1 OF 1
DRAWING NO.	M6061T6T
TITLE	6061-T6 TUBING
SCALE	NTS
COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DRAWING IS THE PROPERTY OF DART AEROSPACE LTD. IT IS TO BE USED ONLY FOR THE PURPOSES FOR WHICH IT WAS DESIGNED AND NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.	

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M60617610.375W.058

PO / BATCH NO.: P0041135/5115857

DATE: 18/10/04

MATERIAL CERT REC'D: Yes

THICKNESS ORDERED: 0.375"

QUANTITY RECEIVED: 84ft

THICKNESS RECEIVED: 0.375"

QUANTITY INSPECTED: 84ft

SHEET SIZE ORDERED: —

QUANTITY REJECTED: 0

SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Y)	N	
CORROSION	Y	(N)	
CORRECT GRAIN DIRECTION	(Y)	N	
CORRECT MATERIAL PER M-DRAWING	(Y)	N	AMS 4082
CORRECT THICKNESS	(Y)	N	
PHOTO REQUIRED	Y	(N)	
CORRECT REF # TO LINK CERT	(Y)	N	H7: F0027025400-0001
CORRECT MATERIAL IDENTIFICATION	(Y)	N	
CORRECT M# ON THE MATERIAL	(Y)	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	(N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>AT</u>	SIGNED OFF BY: _____
DATE: <u>18/10/04</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in